J. Field Ornithol., 70(4):605–609

Indices to Volume 70

Compiled by Michelle Cawthorn

Three indices follow: an author index, a subject/geographic index, and a taxonomic index of avian species mentioned in the volume.

Author Index

(An "r" following a page number indicates the author of a publication that has been reviewed in our recent literature section.)

Aebischer, A., 287 (r)
Ainley, D. G., 595 (r)
Al Bowardi, M., 169–181
Alerstam, T., 132 (r)
Alves, M. A. S., 290 (r)
Amat, J. A., 556–558
Amundsen, T., 124–125 (r)
Anderson, D. J., 594 (r)
Anderson, S. H., 491–503, 592 (r)
Arcese, P., 283 (r)
Arnold, G. W., 449 (r)
Arroyo, B. E., 125 (r)
Ayers, L. W., 592 (r)
Baba, T., 130 (r)
Backensto, S. A., 121 (r)
Bacon, B. R., 593 (r)
Bacquet, S., 130 (r)
Baker, B. W., 439 (r)
Baker, G. B., 122–123 (r)
Baker, J., 447–448 (r)
Baldaccini, N. E., 599 (r)
Balgooyen, T. G., 158–162
Ballard, G., 595 (r)
Banko, P. C., 138 (r)
Barbraud, C., 598 (r)
Barry, S., 122–123 (r)
Barton, K. J., 595 (r)
Bauldry, V. M., 283 (r)
Bayne, E. M., 1–7
Becker, P. H., 453 (r)
Beintema, A. J., 126 (r)
Bellamy, P. E., 136 (r)
Belser, C. G., 437–438 (r)
Benito-Espinal, E., 80–94
Bennetts, R. E., 268–275, 286 (r)
Benson, J., 393–399
Bergman, D. L., 121 (r)
Berlin, K. E., 127 (r)
Berlinghoff, L. S., 95–100
Berry, M. E., 602 (r)
Bertram, D. F., 145–157
Bingman, V. P., 132 (r)
Birkhead, T. R., 443 (r), 596 (r)
Bissonette, J. A., 374–379
Bleier, W. J., 121 (r)
Blem, C. R., 95–100, 287 (r)
Blem, L. B., 95–100
Blouin, F., 187–199
Blums, P., 592 (r)
Boal, C. W., 131 (r), 444 (r)
Bock, C. E., 602 (r)
Bogenschutz, T. R., 380–392
Böhme, F., 288–289 (r)
Bolen, E. G., 310–320
Bortolotti, G. R., 425–435
Bosakowski, T., 535–542
Bosque, C., 596–597 (r)
Bradford, J. W., 400–403
Brigham, R. M., 293 (r)
Brock, M. K., 604–605 (r)
Brown, B. T., 211–214
Brown, L., 283–284 (r)
Brown, N. J., 136 (r)
Bruderer, B., 288 (r)
Brunjes, J. H., Jr., 414–424
Budzynski, C. A., 132 (r)
Bundick, N. N., 287 (r)
Burford, J. E., 284 (r)
Burger, A. E., 145–157
Burger, J., 455–464
Burger, J. C., 289–290 (r)
Burger, L., Jr., 411 (r)
Burkett, E. E., 520–534
Burnell, K., 285 (r)
Butler, R. W., 289 (r)
Cadman, M. D., 481–490
Cam, A., 122–123 (r)
Cam, G., 122–123 (r), 445–446 (r)
Campos, R. G., 290 (r)
Carlile, L. D., 597–598 (r)
Carlile, N., 138–139 (r)
Carmona, R., 451 (r)
Carrie, N. R., 263–267
Carter, J. E., 230–235

Catusse, M., 122 (r)
Cavalcanti, R. B., 290–291 (r)
Chandler, C. R., 597–598 (r)
Chapman, B. R., 414–424
Charnetzkey D. Y., 135–136 (r)
Chastel, O., 598 (r)
Chiappe, L. M., 452 (r)
Christie, F. J., 351–364
Clark, A. B., 127 (r), 286 (r)
Clark, R. G., 504–513
Clark, W. R., 380–392, 451–452 (r)
Clarke, M. F., 450 (r)
Cleere, N., 295 (r)
Clotfelter, E. D., 123 (r)
Coldren, C. L., 451 (r)
Coldren, M. K., 451 (r)
Collazo, J. A., 123–124 (r)
Collias, E., 136–137 (r)
Collins, S. A., 596 (r)
Consiglio, C., 132 (r)
Contomy, J. T., 123–124 (r)
Cooch, E. G., 214–229
Copeland, M., 400–403
Corben, C., 543–555
Cormons, G., 455–464
Cowen, L., 145–157
Cueva, H., 451 (r)
Cuisin, M., 130 (r)
Cummings, J. L., 436 (r)
Cunningham, R. B., 594 (r)
Currie, P. J., 450–451 (r)
Dal Sasso, C., 604 (r)
Danks, A., 137–138 (r)
Darby, P. C., 588–591
Davis, J. B., 107–113, 592 (r)
Davis, J. E., Jr., 436 (r)
Dean, W. J., 448 (r)
DeGraaf, R. M., 257–262
Delevoryas, P., 464–480
Delgado, F. S., 289 (r)
Demarais, S., 285 (r)
Depraz, V., 127–128 (r)
Devine, A., 535–542
Diamond, T., 206–210
DiCostanzo, J., 455–464
Dieni, J. S., 491–503
Doherty, P. F., Jr., 286–287 (r)
Donazar, J. A., 134 (r)
Donnelly, C. F., 594 (r)
Dosch, J. J., 291 (r)
Doucet, G. J., 187–199
Dowell, B. A., 600 (r)
Drean-Quenec'hdu, S. Le., 125–126 (r)
Dreitz, V. J., 286 (r)
Dubovsky, J. A., 123–124 (r)
Dumbacher, J. P., 42–48
Durant, J., 130 (r)
Dzubin, A., 214–229
Edward, J., 600–601 (r)
Edwards, S., 297–309
Eeva, T., 128–129 (r)
Ellegren, H., 442 (r)
Elliott, P. F., 55–57
Enkerlin-Hoeflich, E. C., 8–17
Enoksson, B., 136 (r)
Enstrom, D. A., 439 (r)
Er, K. B. H., 134–135 (r)
Esker, T. L., 601 (r)
Esler, D., 200–205, 244–250
Euliss, N. H., Jr., 452 (r)
Evans, R. M., 285–286 (r)
Evrard, J. O., 593 (r)
Fahrig, L., 136 (r)
Fancy, S. G., 138 (r)
Feldmann, P., 80–94
Fernandez, G., 451 (r)
Ferron, J., 187–199
Filli, F., 451 (r)
Firbank, L. G., 136 (r)
Fitri, L. L., 440–441 (r)
Flake, L. D., 601–602 (r)
Fleming, W. J., 123–124 (r)
Flemming, S. P., 595 (r)
Folk, M. J., 251–256
Ford, H. A., 440–441 (r)
Forero, M. G., 134 (r)
French, K., 443 (r)
Friedrich, T. J., 284 (r)
Froget, G., 592–593 (r)
Fuller, R. J., 136 (r)
Galeotti, P., 126 (r)
García-Godos, A., 71–79
Garrido, O. H., 603–604 (r)
Garthe, S., 28–32
Gauthier, G., 187–199
Gauthreaux, S. A., Jr., 437–438 (r)
Gautier-Clere, M., 592–593 (r)
Geering, D., 438–439 (r), 443 (r), 445–446 (r)
Geist, N. R., 604 (r)
Gieg, J. A., 276–282
Giese, M., 49–54
Giroux, J.-F., 187–199
Giunchi, D., 599 (r)
Gochfeld, M., 455–464
Golden, K., 286 (r)
Goldingay, R. L., 447–448 (r)
Goldsmith, A. R., 596 (r)
Goldstein, J. M., 439–440 (r)
González, J. A., 18–27
González-Elizondo, J. J., 8–17
Gould-Beierle, K. L., 122 (r)
Gowing, G., 351–364
Goya, E., 71–79

Granfors, D. A., 601–602 (r)
Greenhood, W., 104–106
Grey, M. J., 450 (r)
Griffin, C. R., 257–262
Grubb, T. C., Jr., 286–287 (r)
Gudmundsson, G. A., 132 (r)
Guyn, K. L., 504–513
Hailman, J. P., 439–440 (r)
Halse, S. A., 445–446 (r)
Hamley, B. J., 603 (r)
Handrich, Y., 133 (r), 592–593 (r)
Handsworth, R., 49–54
Hansen, L. T., 124–125 (r)
Harden, W. D., 114–120
Hario, M., 134 (r)
Hasselquist, D., 287–288 (r)
Hatfield, J. S., 321–336
Havera, S. P., 597 (r)
Hayes, H., 455–464
Henny, C. J., 293 (r)
Herkert, J. R., 601 (r)
Hill, G. E., 236–243
Hillenius, W. J., 604 (r)
Hine, C. S., 597 (r)
Hinsley, S. A., 136 (r)
Hiraldo, F., 134 (r)
Hiraoka, T., 130 (r)
Hobson, K. A., 1–7
Hoi, H., 443 (r), 596 (r)
Holloway, G. L., 595 (r)
Horn, A. G., 124 (r)
Houston, C. S., 343–350, 444–445 (r)
Houston, M. I., 444–445 (r)
Howell, S. N. G., 543–555
Hughes, M., 126–127 (r)
Huhta, E., 445 (r)
Hunt, J. D., 285–286 (r)
Hüppop, O., 28–32
Ingram, J. A., 605 (r)
Ireland, C., 445–446 (r)
Isotti, R., 132 (r)
Ivison, T. J., 351–364
Jacobi, J. D., 138 (r)
Jahncke, J., 71–79
Jenni, L., 599 (r)
Jokimäki, J., 445 (r)
Jones, D. P., 441 (r)
Jones, M. A., 598 (r)
Jones, M. H., 230–235
Jones, T. D., 604 (r)
Jorgensen, E. E., 285 (r)
Joseph, L., 288 (r)
Junge, R. E., 604–605 (r)
Juniper, T., 294–295 (r)
Kadlec, J. A., 374–379
Kamil, A. C., 122 (r)
Kaminiski, R. M., 107–113
Karl, B., 595 (r)
Keith, A. R., 80–94, 139 (r)
Kepler, C. B., 321–336
Kerley, G. H., 448 (r)
Kershner, E. L., 598 (r)
Ketterson, E. D., 439 (r)
Keyser, A. J., 236–243
Kilgo, J. C., 404–413
Kilpi, M., 129–130 (r)
King, D. I., 257–262
King, J. R., 543–555
Kirsch, E. M., 603 (r)
Kitchens, W. M., 268–275, 286 (r)
Klass, E. E., 451–452 (r)
Koivusaari, J., 284–285 (r)
Kortekaas, K. H., 446–447 (r)
Krebs, E. A., 594 (r)
Kreutzer, M., 127–128 (r)
Kuiken, T., 283–284 (r)
Lacy, S. S., 451 (r)
Langefors, A., 287–288 (r)
Langmore, N. E., 596 (r)
Larson, D. W., 132–133 (r)
Lau, P., 596–597 (r)
Launay, F., 169–181
Laven, N. H., 446 (r)
Lawrance, P. S., 595 (r)
Le Lannic, J., 136–137 (r)
Le Maho, Y., 133 (r), 592–593 (r)
Leberg, P. L., 122 (r)
Leboucher, G., 127–128 (r)
Lee, W. H., 286 (r)
Lees, N., 603 (r)
Lehikoinen, E., 128–129 (r)
Lehmann, D. M., 283 (r)
Lehtonen, R., 292 (r)
Leighton, L. A., 283–284 (r)
Lenihan, C., 464–480
Leonard, M. L., 124 (r)
Leslie, D. M., Jr., 114–120
Lewis, E. T. R., 321–336
Ley, A. J., 131 (r), 443–444 (r)
Liechti, F., 288 (r)
Liepa, V., 288–289 (r), 599–600 (r)
Lifjeld, J. T., 442 (r)
Lil, A., 442–443 (r)
Lima, P., 455–464
Lindemann, S. A., 425–435
Lindsey, G. D., 138 (r)
Linz, G. M., 121 (r)
Litzenberger, K. L., 321–336
Lohr, B., 126–127 (r)
Loose, J., 442 (r)
Lotem, A., 123 (r)
Lougheed, L. W., 594 (r)
Loyn, R. H., 449–450 (r)
MacNally, R., 446 (r)

Maddock, M., 445–446 (r)
Maheo, R., 125–126 (r)
Maier, T. J., 257–262
Major, R. E., 351–364
Mamo, L. B., 310–320
Mannan, R. W., 131 (r), 444 (r)
Mantínez, C., 559–567
Marin, M., 290 (r)
Marini, M. A., 291 (r)
Marti, C. D., 425–435
Martin, K., 448 (r), 602 (r)
Massemin, S., 133 (r)
Massoni, V., 133–134 (r)
Mather, D. D., 200–205
Matheson, J. D., 132–133 (r)
Mawhinney, K., 206–210
Mayer, S., 453–454 (r)
McGraw, K. J., 236–243
McKilligan, N. G., 130–131 (r)
McLaren, M. A., 481–490
McMaster, D. G., 365–373
Mednis, A., 592 (r)
Meetz, M., 425–435
Melampy, M. N., 598 (r)
Melvin, R. J., 425–435
Messenger, E., 297–309
Meyer, D., 287 (r)
Michalak, I. L., 593 (r)
Miller, D. L., 107–113
Miller, K. V., 404–413
Milton, S. J., 448 (r)
Minguez, E., 128 (r)
Mitamura, A., 130 (r)
Mitchell, L. R., 597–598 (r)
Mizrahi, D. S., 438 (r)
Mock, D. W., 276–282
Momose, K., 130 (r)
Mongini, E., 599 (r)
Monteiro, L., 455–464
Mooney, N., 122–123 (r)
Morrison, R. I. G., 289 (r)
Morton, E. S., 128 (r)
Mota, P. G., 595–596 (r)
Motta-Junior, J. C., 291 (r)
Muheim, R., 599 (r)
Muir, D., 436–437 (r)
Mulcahy, D. M., 244–250
Nagle, L., 127–128 (r)
Natale, C., 425–435, 436 (r)
Neill, V., 442–443 (r)
Nesbitt, S. A., 251–256
Newman, S. H., 520–534
Nisbet, I. C. T., 292–293 (r), 455–464
Nishiumi, I., 440 (r)
Njiforti, H. L., 446–447 (r)
Nolan, V., Jr., 439 (r)
Norell, M. A., 450–451 (r)
Norton, R. L., 104–106
Nottebohm, F., 126 (r)
Nowicki, S., 126–127 (r)
Nur, N., 595 (r)
Nurney, D., 295 (r)
Oliver, D. L., 131 (r), 443–444 (r)
Olsen, P., 122–123 (r)
Olson, R., 121–122 (r)
Oniki, Y., 597 (r)
Ŏost, M., 129–130 (r)
Orell, M., 292 (r)
Ortega, C. P., 121 (r)
Ortega, J. C., 121 (r)
Otahal, C. D., 600 (r)
Otter, K., 568–578
Packard, J. M., 8–17
Padian, K., 452 (r)
Parr, M., 294–295 (r)
Patten, M. A., 289–290 (r)
Pearson, G. B., 445–446 (r)
Peterjohn, B. G., 290–291 (r)
Phillips, L. F., Jr., 444–445 (r)
Pierce, J., 455–464
Piper, W. H., 128 (r)
Pius, S. M., 122 (r)
Plice, L., 158–162
Post, W., 136 (r)
Powell, L. A., 451–452 (r)
Pratt, T. K., 138 (r)
Priddel, D., 138–139 (r)
Primmer, C. R., 442 (r)
Qiang, J., 450–451 (r)
Quintana, F., 337–342
Raftovich, R. V., Jr., 414–424
Rahko, P., 445 (r)
Rapp, C. A., 121 (r)
Ratcliffe, L., 568–578
Reboreda, J. C., 133–134 (r)
Reynard, G. B., 603–604 (r)
Richardson, D. M., 107–113, 400–403, 592 (r)
Ritchison, G., 579–587
Robbins, C. S., 600 (r)
Roberts, R. N., 436–437 (r)
Robertson, R., 425–435
Robertson, S., 425–435
Robin, K., 451 (r)
Rocke, R. E., 452 (r)
Rockwell, R. F., 214–229
Rodrigues, A. A. F., 559–567
Rohde, P. A., 442 (r)
Ross, R. K., 289 (r)
Rossignol, K. L., 287 (r)
Rowher, F. C., 121–122 (r)
Rowley, I., 448–449 (r)
Ruben, J. A., 604 (r)
Russell, E., 448–449 (r)

Ryan, M., 441 (r)
Rytkönen, S., 292 (r)
Saliva, J. E., 455–464
Samuel, M. D., 452 (r)
Sanchez, J. E., 290 (r)
Sansing, H. R., 321–336
Sato, F., 130 (r)
Sauer, J. R., 290–291 (r)
Saunders, D. A., 605 (r)
Sax, A., 443 (r), 596 (r)
Schmidt, J. A., 251–256
Schotman, A. G. M., 136 (r)
Schuster, A., 451 (r)
Schwabl, H., 126 (r)
Schwagmeyer, P. L., 276–282
Sealy, S., 182–186, 290 (r), 365–373
Seddon, P. J., 169–181
Sedgwick, J. A., 439 (r)
Seginak, J. T., 414–424
Sell, S. M., 285 (r)
Shackford, J. S., 114–120
Sherony, D. F., 33–41
Shirley, I., 283–284 (r)
Shu-An, J., 450–451 (r)
Shuford, W. R., 425–435
Sidle, J. G., 603 (r)
Signore, M., 604 (r)
Silva-Krott, I., 604–605 (r)
Silverin, B., 289 (r)
Simpson, S. A., 601 (r)
Skipper, C. S., 447 (r)
Smallwood, J. A., 425–435, 436 (r)
Smiseth, P. T., 124–125 (r)
Smith, D. G., 535–542
Smith, G. C., 603 (r)
Smith, G. E. J., 289 (r)
Smith, H. T., 135–136 (r)
Smith, K. G., 451 (r)
Smith, S. A., 600–601 (r)
Smith, W. P., 404–413
Spear, L. B., 465–480
Spendelow, J. A., 455–464
Stanley, T. R., 439 (r)
Steenhof, K., 425–435
Stephens, S. E., 592 (r)
Stephenson, R., 49–54
Stewart, N. J., 600–601 (r)
Stolley, D. S., 374–379
Stoskopf, M. K., 244–250
Strahl, S. D., 596–597 (r)
Strasser, R., 132 (r)
Stuchbury, B. J. M., 128 (r), 131–132 (r)
Sudmann, S. R., 441–442 (r), 453 (r)
Sulkava, S., 284–285 (r)
Suryan, R. M., 393–399
Sutter, G. C., 293 (r)
Swaddle, J. P., 137 (r)
Sykes, P. W., Jr., 321–336
Takekawa, J. Y., 520–534
Tchernichovski, O., 126 (r)
Tella, J. L., 134 (r)
Terrill, S. B., 464–480
Thiede, W., 291–292 (r)
Thompson, J. J., 447 (r)
Tomcho, J., Jr., 444–445 (r)
Tornberg, R., 284–285 (r)
Tornwall, B., 425–435
Treca, B., 135 (r)
Triplet, J. P., 130 (r)
Tsurumi, M., 130 (r)
van Heezik, Y., 169–181
Vasconcellos, L. A. S., 291 (r)
Veistola, S., 128–129 (r)
Venier, L. A., 136 (r)
Visnak, R. M., 42–48
Vrtiska, M. P., 107–113
Vuilleumier, F., 293 (r)
Walk, J. W., 601–602 (r)
Walters, J. R., 444–445 (r)
Warner, R. E., 602 (r)
Watts, B. D., 162–168
Watts, E. J., 595 (r)
Weeldenburg, J. R., 449 (r)
Weidinger, K., 598–599 (r)
Weindler, P., 288–289 (r), 599–600 (r)
Westemeier, R. L., 601 (r)
Whalen, D. M., 162–168
Whelan, R. J., 447–448 (r)
White, A. W., 453 (r)
White, D. H., 414–424
Whitford, W. G., 448 (r)
Whitworth, D. L., 520–534
Wiebe, K. L., 448 (r), 602 (r)
Wilkins, H. D., 579–587
Williams, B., 443–444 (r)
Williams, M. B., 131 (r)
Willis, E. O., 597 (r)
Wilson, E. A., 436 (r)
Wilson, P. R., 595 (r)
Wilson, R. R., 514–519
Wiltschko, W., 288–289 (r), 599–600 (r)
Winker, K., 592 (r)
Witter, M. S., 137 (r)
Wobeser, G., 283–284 (r)
Woolfenden, G. E., 439–440 (r)
Wunderle, J. M., Jr., 58–70
Yard, H. K., 211–213
Yasukawa, K., 284 (r), 297–309
Yetter, A. P., 597 (r)
Yorio, P., 337–342
York, D. L., 436 (r)
Zambrano, R., 135–136 (r)
Zingo, J. M., 101–103

Subject/Geographic Index

The subject/geographic index includes entries for states, provinces of Canada, countries other than the United States and Canada, and some specific localities; entries under the same headings used to categorize reviews; a few additional headings that reflect specific topics (e.g., techniques). As reviews are arranged by subject and cross-referenced only within the review section of the Journal, they are indexed by geographic location only.

Africa, 289 (r)
Alaska, 33, 200–205, 244–250, 393–399, 546
Alberta, 343–350, 504–513
Antarctica, 49–54, 595 (r), 598–599 (r)
Argentina, 133–134 (r), 337–342
Arizona, 131(r), 211–213, 444 (r), 475
Arkansas, 451(r), 514–519
Australia, 130–131 (r), 137–139 (r), 289 (r), 351–364, 438–440 (r), 603 (r), 605 (r)
Azores, 455–464
Bahamas, 453 (r)
banding programs, 455–464
behavior
  brood parasitism, 182–186, 365–373
  foraging, 104–106
  kleptoparasitism, 337–342
  parent-offspring recognition, 297–309
Belize, 600 (r)
bird communities, 414–424
Bolivia, 453–454 (r)
Brazil, 290–291 (r), 432, 455–464, 559–567
breeding biology
  brood parasites, 263–267, 365–373
  effect of markers, 504–513
  estimating survival, 374–379
  habitat, 321–336
  habitat disturbance, 414–424, 491–503
  parent-offspring recognition, 297–309
  reproductive success, 18–27, 380–392, 559–567
  translocation of nestlings, 400–403
British Columbia, 145–157, 529, 593 (r)
California, 290 (r), 452 (r), 465–480, 520–534, 543–555, 600 (r)
Cameroon, 446–447 (r)
Canada, 455–464
Caribbean, 455–464
Chihuahuan Desert, 285 (r)
China, 450–451 (r)
Colorado, 114–120, 602 (r)
communication, 579–587
community structure, 491–503
Connecticut, 101–103, 459, 461, 535–542
Costa Rica, 290 (r)
diet
  composition, 71–79
dispersal, 343–350
distribution, 80–94, 310–320
Dominican Republic, 58–70
England, 543–555
Europe, 126 (r), 134 (r)
field techniques
  aging, 200–205, 214–229
  artificial nests, 1–7, 351–364
  banding, 236–243, 556–558
  capture and handling, 8–17, 163–168, 251–256, 393–399
  censusing, 28–32, 465–480, 481–490
  estimating density, 465–480
  estimating survival, 268–275, 374–379
  measuring heart rate, 49–54
  nest inspections, 8–17
  parasite removal, 42–48
  radar tracking, 145–157
  radio-transmitters, 107–113, 244–250, 520–534, 588–591
  satellite-telemetry, 187–199
  sexing, 206–210
  translocation of nestlings, 400–403
  trapping, 158–162, 169–181, 276–282, 504–513
  weatherproof field box, 101–103
Finland, 129–130 (r), 284 (r), 292 (r), 445 (r)
Finnish Lapland, 128–129 (r)
Florida, 23–25, 135–136 (r), 251–256, 268–275, 286 (r), 321–336, 349, 425–435, 439–440 (r), 444–445 (r), 477–478, 588–591
France, 125–126 (r), 130 (r), 133 (r), 136–137 (r)
Galapagos, 104–106, 594 (r)
Georgia, 414–424, 425–435
Germany, 288 (r), 442 (r), 453 (r)
Guam, 604–605 (r)
Guatemala, 432
habitat
  selection, 114–120, 310–320, 404–413
Hawaii, 42–48, 138 (r)
Hispaniola, 432
home range
  habitat composition, 230–235

Honduras, 23, 432
Idaho, 425–435
Illinois, 389, 451–452 (r), 597 (r), 602 (r)
Indiana, 34
Iowa, 380–392, 425–435
Italy, 132 (r)
Japan, 130 (r), 440 (r)
Kansas, 114–120
Kazakhstan, 169–181
Kentucky, 579–587, 592 (r)
kleptoparasitism, 337–342
Louisiana, 122 (r), 514–520
Maine, 459, 461
Manitoba, 214–229, 285–286 (r), 365–373, 451–452 (r)
Maryland, 447 (r), 461, 600–601 (r)
Massachusetts, 457, 459, 461, 543–555
Mauritius, 230–235
Mexico, 8–17, 23, 432
  Baja, 451 (r)
Middle East, 170
migration, 33–41
Minnesota, 34, 322, 451–452 (r)
Mississippi, 107–113, 254–255, 400–403, 592 (r)
Missouri, 436 (r), 592 (r)
molt, 543–555
Montana, 114–120, 349
Nebraska, 114–120
nest
  artificial, 1–7, 257–262, 351–364
  boxes, old nests in, 95–100
  parasitism, 55–57, 263–267
  predation, 351–364
  reuse, 211–213
  site location, 535–542
Nevada, 293 (r)
New Brunswick, 206–210, 595 (r)
New Hampshire, 257–262
New Jersey, 425–435, 436 (r), 461, 535–542, 543–555
New Mexico, 114–120
New York, 33–41, 436–437 (r), 457, 459, 461, 535–542
New Zealand, 445–446 (r)
Nicaragua, 23, 432
North Carolina, 123–124 (r), 310–320
North Pole, 132 (r)
Norway, 124–125 (r), 442 (r)
Northwest Territories, 187–199
Ohio, 286–287 (r), 322, 349, 598 (r)
Oklahoma, 114–120
Ontario, 33–41, 136 (r), 348, 481–490, 568–578
Pakistan, 169–181
Panama, 128 (r), 289 (r)
Pennsylvania, 266, 425–435, 436 (r), 600 (r)
Persian Gulf, 33
Peru, 71–79
plumage, 425–435, 568–578
population biology, 58–70, 268–275
Puerto Rico, 455–464
Quebec, 187–199
radiotransmitters
  effects of, 107–113
  retrieval, 588–591
Russia, 33, 175
Saudi Arabia, 169–181
Saskatchewan, 1–7, 182–186, 283–284 (r), 343–350, 425–435, 444–445 (r), 451–452 (r)
Senegal, 135 (r)
Siberia, 544, 546
South Carolina, 322–323, 333, 404–413
South Dakota, 601–602 (r)
Spain, 125 (r), 134 (r), 178, 556–558
Surinam, 23
survey reliability, 481–490
Sweden, 287–288 (r)
Switzerland, 287 (r), 451 (r)
techniques
  sexing, 514–519
Texas, 114–120, 263–267, 322
transmitters, 520–534
United Arab Emirates, 169–181
United Kingdom, 136 (r)
United States, 455–464
Utah, 425–435
Venezuela, 18–27, 432
Virginia, 95–100, 163–168, 287 (r), 439 (r), 514–519
Virgin Islands, 455–464
West Indies
  Guadeloupe, 80–94
  Martinique, 80–94
  St. Lucia, 139 (r)
Wisconsin, 123 (r), 283 (r), 297–309, 322, 593 (r)
Wyoming, 114–120, 491–503
Yukon, 349

Taxonomic Index

The following taxonomic index includes entries for common and scientific names of birds given in papers, notes and reviews.

Accipiter cooperii, 131 (r), 444 (r), 537
A. fasciatus, 358
A. gentilis, 344, 537
Acrocephalus arundinaceus, 440 (r)
A. schoenobaenus, 287–288 (r)
Actitis macularia, 557
Aegolius acadicus, 163–168
A. funereus, 349
Agelaius phoeniceus, 123 (r), 284 (r), 286 (r), 297–309, 509
A. thilius, 133–134 (r)
A. tricolor, 366
Aimophila aestivalis, 414–424
Aix sponsa, 107–113, 592–593 (r), 597 (r), 601–602 (r)
Ajaia ajaja, 83–84
Albatross
  Short-tailed, see *Diomedea albatrus*
Alca torda, 28–32, 527
Alcedo atthis, 132 (r)
Amazona agilis, 12
A. albifrons, 12
A. amazonica, 89
A. autumnalis, 8–17
A. oratrix, 8–17
A. viridigenalis, 8–17
A. ventralis, 12, 58–70
A. vittata, 9, 11–12
A. xantholora, 12
Ammodramus caudacutus, 136 (r)
A. henslowii, 447 (r), 602 (r)
A. nelsoni alterus, 136 (r)
A. nelsoni nelsoni, 136 (r)
A. nelsoni subvirgatus, 136 (r)
Anas acuta, 204, 504–513
A. americana, 123–124 (r), 204
A. bahamensis, 84
A. clypeata, 530
A. crecca carolinensis, 123–124 (r)
A. discors, 593 (r)
A. platyrhynchos, 107–108, 284–285 (r), 451–452 (r), 505, 593 (r)
A. rubripes, 123–124 (r)
A. strepera, 84, 123–124 (r)
Ani
  Greater, see *Crotophaga major*
Anthrocothorax dominicus, 58–70
Anthus petrosus, 134 (r)
Aphelocoma coerulescens, 122 (r), 439–440 (r)
Apostlebird, see *Struthidea cinerea*
Aptenodytes patagonicus, 592–593 (r)
Apus apus, 137 (r)
Aquila audax, 358
Archilochus colubris, 310–320
Ardea alba, 83
Ardeola ibis, 130–131 (r), 276–282, 451 (r)
Ardeotis arabs, 175
A. australisu, 178
Arenaria interpres, 122 (r)
Asio flammeus, 601 (r)
A. otus, 349
Atrichornis clamosus, 137–138 (r)
Auklet
  Cassin's, see *Ptychoramphus aleuticus*
Avocet, see *Recurvirostra avosetta*
Aythya spp., 284–285 (r)
A. valisineria, 108, 193
Babbler
  Grey-crowned, see *Pomatostomus temporalis*
Baeolophus bicolor, 310–320, 404–424
Bananaquit, see *Coerba flaveola*
Bartramia longicauda, 84, 602 (r)
Bittern
  American, see *Botaurus lentiginosus*
  Least, see *Ixobrychus exilis*
Blackbird, see *Turdus merula*
  Red-winged, see *Agelaius phoeniceus*
  Tricolored, see *Agelaius tricolor*
  Yellow-winged, see *Agelaius thilius*
Blackcap, see *Sylvia atricapilla*
Bluebird
  Eastern, see *Sialia sialis*
  Mountain, see *Sialia currucoides*
Bluethroat, see *Luscinia svecica svecica*
Bobwhite
  Northern, see *Colinus virginianus*
Booby
  Blue-footed, see *Sula nebouxii*
  Brown, see *Sula leucogaster*
  Masked, see *Sula dactylatra*
  Red-footed, see *Sula sula*
Botaurus lentiginosus, 82
Brachyramphus marmoratus, 147, 520–534
Brant, see *Branta bernicla nigricans* or *B. b. hrota*
Branta bernicla hrota, 191
B. b. nigricans, 191
B. canadensis, 201

B. c. maxima, 374–379
B. c. moffitti, 374–379
Bristlebird
Western, see *Dasyornis longirostris*
Bubo virginianus, 343–350, 535–542
Bubulcus ibis, see *Ardeola ibis*
Bucephala clangula, 284–285 (r)
Budgerigar, see *Melopsittacus undulatus*
Bunting
Indigo, see *Passerina cyanea*
Lark, see *Calamospiza melanocorys*
Lazuli, see *Passerina amoena*
Reed, see *Emberiza choeniclus*
Bustard
Arabian, see *Ardeotis arabs*
Australian, see *Ardeotis australis*
Denham's, see *Neotis denhami*
Houbara, see *Chlamydotis* spp.
Little, see *Tetrax tetrax*
Butcherbird
Grey, see *Cracticus torquatus*
Pied, see *Cracticus nigrogularis*
Buteo jamaicensis, 84, 537
B. lineatus, 537
B. regalis, 593 (r)
Buteogallus urubitinga, 22
Cacatua roseicapilla, 449 (r)
C. sulphurea citrinocristata, 294–295 (r)
Cactospiza heliobates, 104
Calamospiza melanocorys, 182–186
Calidris alba, 289 (r)
C. alpina, 125–126 (r)
C. bairdii, 85
C. fuscicollis, 85
C. himantopus, 86
C. mauri, 451 (r)
C. melanotos, 85–86
Calliphlox evelynae, 453 (r)
Calonectris diomedea, 81
Calyptorhynchus latirostris, 605 (r)
Campylorhynchus brunneicapillus, 448 (r)
Canary, see *Serinus canaria*
Canvasback, see *Aythya valisineria*
Capercaillie, see *Tetrao urogallus*
Caprimulgus cayennensis, 89
C. cubanensis, 603–604 (r)
C. eckmani, 604 (r)
Caracara
Crested, see *Caracara plancus*
Yellow-headed, see *Milvago chimachima*
Caracara plancus, 18–27
Cardinal
Northern, see *Cardinalis cardinalis*
Cardinalis cardinalis, 265–266, 310–320, 404–424
Carduelis pinus, 491–503
C. tristis, 414–424
Carpodacus cassinii, 497
Catbird
Gray, see *Dumetella carolinensis*
Cathartes aura, 564
Catharus bicknelli, 90
C. fuscesens, 257–262, 310–320, 404–413, 486, 488
C. guttatus, 310–320, 404–413
C. minimus, 90, 310–320
C. ustulatus, 257–262, 310–320, 404–413, 486, 488
Cepphus grylle, 207
Certhidia olivacea, 104
Chaffinch, see *Fringilla coelebs*
Charadrius alexandrinus, 556–558
C. hiaticula, 552
C. montanus, 114–120
Charitospiza eocosma, 290 (r)
Chat
Yellow-breasted, see *Icteria virens*
Chen caerulescens atlantica, 197–199
C. caerulescens caerulescens, 214–229
Chickadee
Black-capped, see *Poecile atricapillus*
Carolina, see *Poecile carolinensis*
Mountain, see *Poecile gambeli*
Chlamydotis spp., 169–181
C. undulata, 196
Chlidonias niger, 126 (r), 290–293 (r)
Chlorostilbon swainsonii, 58–70
Cinclocerthia ruficauda, 90–91
Circus assimilis, 358
C. cyaneus, 601–602 (r)
C. pygargus, 125 (r)
Clangula hymelis, 201
Coccyzus americanus, 89, 310–320, 414–424
Cockatoo
Carmaby's, see *Calyptorhynchus latirostris*
Citron-crested, see *Cacatua sulphurea citrinocristata*
Coerba flaveola, 58–70
Colaptes auratus, 310–320, 414–424, 495–496, 585
Colinus virginianus, 414–424
Collared-Dove
Eurasian, see *Streptopelia decaocto*
Colluricincla harmonica, 351–364
Columba livia, 43, 132 (r)
Contopus hispaniolensis, 58–70
C. sordidulus, 185, 491–503
C. virens, 310–320, 404–424, 486, 488
Coot
American, see *Fulica americana*
Coragyps atratus, 22
Cormorant
Double-crested, see *Phalacrocorax auritus*
Guanay, see *Phalacrocorax bougainvillii*

Imperial, see *Phalacrocorax atriceps*
Neotropical, see *Phalacorcax brasilianus*
Olivaceous, see *Phalacrocorax olivaceus*
Corvus brachyrhynchos, 5, 414–424, 537
C. coronoides, 138–139 (r), 351–364
Coturnicops noveboracensis, 473
Coturnix coturnix, 596 (r)
C. japonica, 1–7, 596 (r)
Cowbird
Brown-headed, see *Molothrus ater*
Bronzed, see *Molothrus aeneus*
Shiny, see *Molothrus bonariensis*
Cracticus nigrogularis, 351–364
C. torquatus, 351–364
Crane
Florida Sandhill, see *Grus canadensis pratensis*
Mississippi, see *Grus canadensis pulla*
Sandhill, see *Grus canadensis*
Whooping, see *Grus americana*
Crotophaga major, 596–597 (r)
Crow
American, see *Corvus brachyrhynchos*
Cuckoo
Yellow-billed, see *Coccyzus americanus*
Curlew
Long-billed, see *Numenius americanus*
Currawong
Pied, see *Strepera graculina*
Cyanocitta cristata, 310–320, 414–424
Cygnus cygnus, 196
Daption capense, 52–53, 598–599 (r)
Dasyornis longirostris, 137–138 (r)
Dendrocygna arborea, 84
Dendroica adelaidae, 91–92
D. caerulescens, 58–70, 310–320, 404–413, 486
D. castanea, 289–290 (r)
D. coronata, 310–320, 497
D. discolor, 310–320, 414–424
D. dominica, 414–424
D. d. flavescens, 453 (r)
D. fusca, 289–290 (r)
D. magnolia, 58–70, 91, 289–290 (r), 310–320, 404–413
D. pensylvanica, 257–262, 404–413
D. petechia, 56, 365–373
D. pinus, 310–320, 414–424, 436–437 (r), 496
D. tigrina, 58–70, 289–290 (r)
D. virens, 58–70, 91, 289–290 (r), 404–413, 486
Diomedea albatrus, 130 (r)
Diving-Petrel
Peruvian, see *Pelecanoides garnotii*
Dove
Mourning, see *Zenaida macroura*
Dowitcher
Long-billed, see *Limnodromus scolopaceus*
Short-billed, see *Limnodromus griseus*
Dryocopus martius, 130 (r), 291–292 (r)
D. pileatus, 310–320, 414–424, 436 (r), 595 (r), 597 (r)
Duck
American Black, see *Anas rubripes*
Harlequin, see *Histrionicus histrionicus*
Wood, see *Aix sponsa*
Dulus dominicus, 58–70
Dumetella carolinensis, 310–320, 404–413, 436–437 (r)
Dunlin, see *Calidris alpina*
Dunnock, see *Prunella modularis*
Eagle
Bald, see *Haliaeetus leucocephalus*
Little, see *Hieraaetus morphnoides*
Wedge-tailed, see *Aquila audax*
White-tailed, see *Haliaeetus albicilla*
Egret
Cattle, see *Ardeola ibis, Bubulcus ibis*
Great, see *Ardea alba, Egretta alba*
Intermediate, see *Egretta intermedia*
Little, see *Egretta garzetta*
Snowy, see *Egretta thula*
Egretta alba, 445–446(r)
E. garzetta, 445–446 (r)
E. intermedia, 445–446 (r)
E. thula, 83
Eiders
Common, see *Somateria mollissima*
Elanoides forficatus, 321–336
Elanus axillaris, 358
E. leucurus, 322
Emberiza schoeniclas, 137 (r)
Emerald
Hispaniolan, see *Chlorostilbon swainsonii*
Empidonax alnorum, 257–262, 514
E. difficilis, 211
E. minimus, 211, 486, 514
E. olberhoseri, 495–496, 501
E. traillii, 211–213, 600 (r)
E. t. extimus, 211–213
E. virescens, 310–320, 404–424, 514–519
Emu-wren
Southern, see *Stipiturus malachurus*
Eudocimus albus, 289 (r), 559–567
E. ruber, 559–567
Eudyptula minor, 138–139 (r)
Fairy-wren
Red-winged, see *Malurus elegans*
Falcon
Black, see *Falco subniger*
Brown, see *Falco berigora*
Peregrine, see *Falco peregrinus*
Falco berigora, 122–123 (r), 359

F. cenchroides, 122–123 (r), 359
F. cherrug, 173–174
F. columbarius, 122–123 (r)
F. longipennis, 358
F. naumanni, 134 (r)
F. peregrinus, 122–123 (r), 173–174, 528
F. punctatus, 230–235
F. sparverius, 158–162, 425–435, 436 (r)
F. s. cinnamominus, 433
F. s. dominicensis, 432
F. s. isabellinus, 432
F. s. nicaraguensis, 432
F. s. paulus, 425–435
F. s. peninsularis, 432
F. s. phalaena, 432
F. s. sparverius, 425–435
F. s. sparvoides, 432
F. s. tropicalis, 432
F. subniger, 359
Ficedula albicollis, 577
F. hypoleuca, 128–129 (r), 288–289 (r), 445 (r), 599–600 (r)
Finch
Cassin's, see *Carpodacus cassinii*
Coal-crested, see *Charitospiza eocosma*
Mangrove, see *Cactospiza heliobates*
Warbler, see *Certhidia olivaces*
Woodpecker, see *Geospiza pallida*
Zebra, see *Taeniopygia guttata*
Flicker
Northern, see *Colaptes auratus*
Flycatcher
Acadian, see *Empidonax virescens*
Alder, see *Empidonax alnorum*
Collared, see *Ficedula albicollis*
Dusky, see *Empidonax olberholseri*
Fork-tailed, see *Tyrannus savana savana*
Least, see *Empidonax minimus*
Great Crested, see *Myiarchus crinitus*
Pied, see *Ficedula hypoleuca*
Southwestern Willow, see *Empidonax traillii extimus*
Suiriri, see *Suiriri suiriri*
Western, see *Empidonax difficilis*
Willow, see *Empidonax traillii*
Fratercula arctica, 154, 527
Fringilla coelebs, 599 (r)
Frogmouth
Marbled, see *Podargus ocellatus*
Plumed, see *Podargus ocellatus plumiferus*
Fulica americana, 528
Fulmar
Antarctic, see *Fulmarus glacialoides*
Northern, see *Fulmarus glacialis*
Fulmarus glacialis, 31
Fulmarus glacialoides, 52–53
Gadwall, see *Anas strepera*
Galah, see *Cacatua roseicapilla*
Gallirallus owstonis, 604–605 (r)
Gannet, see *Morus bassanus*
Geospiza conirostris, 105
G. difficilis, 105
G. pallida, 104–106
Geothlypis poliocephalus, 290 (r)
G. rostrata, 453 (r)
G. semiflava, 290 (r)
G. trichas, 58–70, 92, 310–320, 404–424, 436–437 (r)
Gnatcatcher
Blue-gray, see *Polioptila caerulea*
Godwit
Hudsonian, see *Limosa haemastica*
Marbled, see *Limosa fedoa*
Goldeneye
Common, see *Bucephala clangula*
Goldfinch
American, see *Carduelis tristis*
Goosander, see *Mergus merganser*
Goose
Canada, see *Branta canadensis*
Greater Snow, see *Chen caerulescens atlantica*
Lesser Snow, see *Chen caerulescens caerulescens*
Goshawk
Brown, see *Accipiter fasciatus*
Northern, see *Accipiter gentilis*
Grackle
Common, see *Quiscalus quiscala*
Grallina cyanoleuca, 442–443 (r)
Grosbeak
Rose-breasted, see *Pheucticus ludovicianus*
Ground Warbler
Green-tailed, see *Microligia palustris*
Grus americana, 251–256
G. canadensis, 251–256
G. c. pratensis, 251–256
G. c. pulla, 254–255
Guillemot
Black, see *Cepphus grylle*
Guineafowl
Helmeted, see *Numida meleagris galeata*
Gull
Black-headed, see *Larus ridibundus*
Franklin's, see *Larus pipixcan*
Glaucous, see *Larus hyperboreus*
Glaucous-winged, see *Larus glaucescens*
Great Black-backed, see *Larus marinus*
Herring, see *Larus argentatus*
Iceland, see *Larus glaucoides*
Kelp, see *Larus dominicanus*
Kumlien's, see *Larus glaucoides kumlieni*
Laughing, see *Larus atricilla*
Lesser Black-backed, see *Larus fuscus*

Mew, see *Larus canus*
Ring-billed, see *Larus delawarensis*
Silver, see *Larus novaehollandiae*
Slaty-backe, see *Larus schistisagus*
Thayer's, see *Larus thayeri*
Western, see *Larus occidentalis*
Gymnorhina tibicen, 351–364
Gymnorhinus cyanocephalus, 122 (r)
Haematopus ostralegus, 125–126 (r)
Haliaeetus albicilla, 284–285 (r)
H. leucocephalus, 193, 588
Halcyon cinnamomia cinnamomina, 604 (r)
Harrier
Montague's, see *Circus pygargus*
Northern, see *Circus cyaneus*
Spotted, see *Circus assimilis*
Hawk
Cooper's, see *Accipiter cooperii*
Ferruginous, see *Buteo regalis*
Great Black, see *Buteogallus urubitinga*
Harris', see *Parabuteo unicinctus*
Red-shouldered, see *Buteo lineatus*
Red-tailed, see *Buteo jamaicensis*
Helmitheros vermivorous, 310–320, 404–413
Hieraaetus morphnoides, 358
Hirundo fulva, 90
H. neoxenau, 447–448 (r)
H. pyrrhonota, 89–90, 307
H. rustica, 90, 123 (r), 307
Histrionicus histrionicus, 200–205, 244–250
Hobby, see *Falco longipennis*
Honeyeater
Brown-headed, see *Melithreptus brevirostris*
Fuscous, see *Lichenostomus fuscus*
New Holland, see *Phylidonyris novaehollandiae*
Regent, see *Xanthomyza phrygia*
Hummingbird
Ruby-throated, see *Archilochus colubris*
Vervain, see *Mellisuga minima*
Hydrobates pelagicus, 128 (r)
Hylocichla mustelina, 263–267, 310–320, 404–424, 486, 488
Ibis
Glossy, see *Plegadis falcinellus*
Scarlet, see *Eudocimus ruber*
White, see *Eudocimus albus*
White-faced, see *Plegadis chihi*
Ictinia mississippiensis, 322
Icteria virens, 310–320, 404–424
Icterus dominicensis, 58–70
Ixobrychus exilis, 82–83
Jaeger
Long-tailed, see *Stercorarius longicaudus*
Parasitic, see *Stercorarius parasiticus*
Pomarine, see *Stercorarius pomarinus*
Jay
Blue, see *Cyanocitta cristata*
Gray, see *Perisoreus canadensis*
Pinyon, see *Gymnorhinus cyanocephalus*
Junco
Dark-eyed, see *Junco hyemalis*
Junco hyemalis, 310–320, 484, 497
J. h. carolinensis, 439 (r)
Kea, see *Nestor notablis*
Kestrel
American, see *Falco sparverius*
Lesser, see *Falco naumanni*
Mauritius, see *Falco punctatus*
Nankeen, see *Falco cenchroides*
Kingbird
Eastern, see *Tyrannus tyrannus*
Kingfisher, see *Alcedo atthis*
Micronesian, see *Halcyon cinnamomia cinnamomina*
Kinglet
Golden-crowned, see *Regulus satrapa*
Ruby-crowned, see *Regulus calendula*
Kite
Black, see *Milvus migrans*
Black-shouldered, see *Elanus axillaris*
Mississippi, see *Ictinia mississippiensis*
Snail, see *Rostrhamus sociabilis*
Swallow-tailed, see *Elanoides forficatus*
White-tailed, see *Elanus leucurus*
Kittiwake
Black-legged, see *Rissa tridactyla*
Lagopus leucurus, 448 (r), 602 (r)
Lapwing, see *Vanellus vanellus*
Larus argentatus, 30–51, 87–88, 122 (r), 129–130 (r), 207
L. a. smithsonianus, 543–555
L. atricilla, 122 (r), 291 (r)
L. canus, 30–31
L. delawarensis, 87–88
L. dominicanus, 337–342
L. fuscus, 28–32, 341
L. f. graellsi, 544
L. glaucescens, 543–555
L. glaucoides, 544
L. g. kumlieni, 552
L. hyperboreus, 546
L. marinus, 30–31, 206–210, 226
L. novaehollandiae, 341
L. occidentalis, 528, 546
L. pipixcan, 87
L. ridibundus, 87, 341
L. schistasagus, 546
L. thayeri, 543–555
Laterallus jamaicensis coturniculus, 465–480
Lepidocolaptes angustirostris, 290 (r)
Lichenostomus fuscus, 131 (r)
Limnodromus griseus, 86
L. scolopaceus, 86–87

Limnothypis swainsonii, 310–320
Limosa fedoa, 85
L. haemastica, 85
Lipaugus lanioides, 597 (r)
Lizard Cuckoo
Hispaniolan, see *Saurothera longirostris*
Locustella luscinioides, 287 (r)
Loxioides bailleui, 138 (r)
Luscinia svecica, 237–238
L. s. svecica, 124–125 (r), 442 (r)
Magpie
Australian, see *Gymnorhina tibicen*
Black-billed, see *Pica pica*
Magpie-lark, see *Grallina cyanoleuca*
Mallard, see *Anas playtrhynchos*
Malurus elegans, 448–449 (r)
Mango
Antillean, see *Anthrocothorax dominicus*
Manorina melanocephala, 135 (r), 450 (r)
Martin
Sand, see *Riparia riparia*
Melanerpes carolinus, 310–320, 404–424, 579–586
M. erythrocephalus, 310–320, 414–424, 580
M. striatus, 58–70
Melanodryas cucullata, 440–441 (r)
Meleagris gallopavo, 414–424
Melithreptus brevirostris, 360
Melanitta fusca, 284–285 (r)
Mellisuga minima, 58–70
Melospiza georgiana, 310–320, 404–413
M. melodia, 55, 593 (r)
Melopsittacus undulatus, 127 (r)
Mergus merganser, 284–285 (r)
Merlin, see *Falco columbarius*
Microligia palustris, 58–70
Milvago chimachima, 22, 564
Milvus migrans, 358
Mimus polyglottos, 310–320
Miner
Noisy, see *Manorina melanocephala*
Mniotilta varia, 58–70, 404–424, 486
Mockingbird
Galapagos, see *Neomimus* spp.
Northern, see *Mimus polyglottos*
Molothrus aeneus, 290 (r)
M. ater, 55–57, 95–100, 123 (r), 182–186, 263–267, 287 (r), 300, 310–320, 365–373, 405, 414–424, 436–437 (r), 487–488, 497
M. bonariensis, 133–134 (r), 366
Morus bassanus, 31
Murre
Common, see *Uria aalge*
Thick-billed, see *Uria lomvia*
Murrelet
Ancient, see *Synthliboramphus antiquus*
Marbled, see *Brachyramphus marmoratus*
Xantus', see *Synthliboramphus hypoleucus*
Myadestes genibarbis, 58–70
Mycteria americana, 18–27
Myiarchus crinitus, 310–320, 414–424, 486, 488
Myiopsitta monachus, 88–89
Neomimus spp., 105
Neothraupis fasciata, 290 (r)
Neotis denhami, 175
Nestor notablis, 294–295 (r)
Nightjar
Greater Antillean, see *Caprimulgus cubanensis*
Hispaniolan, see *Caprimulgus eckmani*
White-tailed, see *Caprimulgus cayennensis*
Nucifraga columbiana, 122 (r)
Numenius americanus, 84–85
Numida meleagris galeata, 446–447 (r)
Nutcracker
Clark's, see *Nucifraga columbiana*
Nuthatch, see *Sitta europaea*
Brown-headed, see *Sitta pusilla*
Red-breasted, see *Sitta canadensis*
Oldsquaw, see *Clangula hymelis*
Oporornis formosus, 92, 414–424
Oriole
Black-cowled, see *Icterus dominicensis*
Oryzoborus angolensis, 92–93
Osprey, see *Pandion haliaetus*
Ovenbird, see *Seiurus aurocapillus*
Owl
Barn, see *Tyto alba*
Great-horned, see *Bubo virginianus*
Long-eared, see *Asio otus*
Northern Saw-whet, see *Aegolius acadicus*
Short-eared, see *Asio flammeus*
Spotted, see *Strix occidentalis caurina*
Tawny, see *Strix aluco*
Tengmalm's, see *Aegolius funereus*
Oystercatcher
Eurasian, see *Haematopus ostralegus*
Pachycephala rufiventris, 351–364
Pagodroma nivea, 598 (r)
Palila, see *Loxioides bailleui*
Palmchat, see *Dulus dominicus*
Pandion haliaetus, 196
Panurus biarmicus, 443 (r), 596 (r)
Parabuteo unicinctus, 22
Parakeet
Monk, see *Myiopsitta monachus*
Pardalote
Striated, see *Pardalotus striatus*
Pardalotus striatus, 449 (r)
Parrot
Caica, see *Pionopsitta caica*
Hispaniolan, see *Amazona ventralis*

Orange-winged, see *Amazona amazonica*
Port Lincoln, see *Platycercus zonarius*
Puerto Rican, see *Amazona vittata*
Red-crowned, see *Amazona viridigenalis*
Red-lored, see *Amazona autumnalis*
White-fronted, see *Amazona albifrons*
Yellow-headed, see *Amazona oratrix*
Yellow-lored, see *Amazona xantholora*
Parula
Northern, see *Parula americana*
Parula americana, 58–70, 404–424
Parus ater, 451 (r)
P. bicolor, see *Baeolophus bicolor*
P. carolinus, see *Poecile carolinensis*
P. cinctus, 128–129 (r)
P. cristatus, 137 (r)
Passer domesticus, 136–137 (r), 257–262, 276–282, 445 (r), 568–569
P. montanus, 137 (r)
Passerculus sandwichensis, 285 (r), 602 (r)
Passerella iliaca, 310–320
Passerina amoena, 497
P. cyanea, 404–424
Pelecanoides garnotii, 71–79
P. georgicus, 72
P. urinatrix exul, 72
Pelecanus erythrorhynchus, 82, 283–284 (r)
P. onocrotalus, 82
Pelican
African White, see *Pelecanus onocrotalus*
American White, see *Pelecanus erythrorhynchus*
Penguin
Adélie, see *Pygoscelis adeliae*
King, see *Aptenodytes patagonicus*
Little, see *Eudyptula minor*
Perisoreus canadensis, 5
Petrochia goodenovii, 351–364
Pewee
Hispaniolan, see *Contopus hispaniolensis*
Petrel
Cape, see *Daption capense*
Gould's, see *Pterodroma leucoptera leucoptera*
Snow, see *Pagodroma nivea*
Phacellodomas rufifrons, 290 (r)
Phaenicophilus palmarum, 58–70
Phalacrocorax atriceps, 338
P. auritus, 82, 283–286 (r)
P. bougainvillii, 338
P. brasilianus, 451 (r)
P. magellanicus, 338
P. olivaceus, 338
Phasianus colchicus, 380–392, 600–601 (r)
Pheasant
Ring-necked, see *Phasianus colchicus*
Pheucticus ludovicianus, 93, 404–413, 481–490
Philomachus pugnax, 86, 135 (r)
Phoebe
Eastern, see *Sayornis phoebe*
Phoenicurus ochruros, 451 (r)
Phylidonyris novaehollandiae, 6
Pica pica, 5
Picoides borealis, 400–403, 414–424, 444–445 (r), 597–598 (r)
P. pubescens, 310–320, 404–424, 584
P. villosus, 310–320, 414–424, 496
Piha
Cinnamon-vented, see *Lipaugus lanioides*
Pigeon, see *Columba livia*
Homing, see *Columba livia*
Pintail
Northern, see *Anas acuta*
White-cheeked, see *Anas bahamensis*
Pipilo chlorurus, 497
P. erythrophthalmus, 319, 404–424
Pipit
Rock, see *Anthus petrosus*
Piranga olivacea, 92
P. rubra, 92, 310–320, 414–424, 481–490
Platycercus elegans, 594 (r)
P. zonarius, 449 (r)
Plegadis chihi, 293 (r)
P. falcinellus, 83
Plover
Mountain, see *Charadrius montanus*
Ringed, see *Charadrius hiaticula*
Snowy, see *Charadrius alexandrinus*
Podargus ocellatus, 603 (r)
P. o. plumiferus, 603 (r)
Poecile atricapillus, 126–127 (r), 486, 488, 495–497, 568–578
P. carolinensis, 97, 310–320, 404–424, 577
P. major, 292 (r), 568
P. gambeli, 495–497
P. spp., 491–503
Polioptila caerulea, 310–320, 414–424
Pomatostomus temporalis, 351–364
Porzana carolina, 475
Prairie-chicken
Greater, see *Tympanuchus cupido*
Protonotaria citrea, 95–100, 287 (r), 310–320
Ptychoramphus aleuticus, 145–157, 531
Prunella modularis, 596 (r)
Ptarmigan
White-tailed, see *Lagopus leucurus*
Pterodroma leucoptera leucoptera, 138–139 (r)
Puffin
Atlantic, see *Fratercula arctica*
Puffinus gravis, 81
Pygoscelis adeliae, 49–54, 595 (r)
Quail

European, see *Coturnix c. coturnix*
Japanese, see *Coturnix japonica*
Quiscalus quiscula, 310–320
Rail
California Black, see *Laterallus jamaicensis coturniculus*
California Clapper, see *Rallus longirostris obsoletus*
Guam, see *Gallirallus owstoni*
Light-footed Clapper, see *Rallus longirostris levipes*
Virginia, see *Rallus limicola*
Yellow, see *Coturnicops noveboracensis*
Yuma Clapper, see *Rallus longirostris yumanensis*
Rallus limicola, 475
R. longirostris levipes, 475
R. longirostris obsoletus, 467
R. longirostris yumanensis, 473
Raven
Australian, see *Corvus coronoides*
Razorbill, see *Alca torda*
Recurvirostra avosetta, 125–126 (r)
Redstart
American, see *Setophaga ruticilla*
Black, see *Phoenicurus ochruros*
Regulus calendula, 310–320, 404–413, 486
R. satrapa, 310–320
Rhynchops niger, 122 (r)
Riparia riparia, 599 (r)
Rissa tridactyla, 30–31, 88, 393–399
Robin
American, see *Turdus migratorius*
Bare-eyed, see *Turdus nudigenis*
Clay-colored, see *Turdus grayi*
Hooded, see *Melanodryas cucullata*
Red-capped, see *Petroica goodenovii*
Rosella
Crimson, see *Platycercus elegans*
Rostrhamus sociabilis, 268–275, 286 (r), 322, 588–591
Ruff, see *Philomachus pugnax*
Saker, see *Falco cherrug*
Saltator
Buff-throated, see *Saltator maximus*
Saltator maximus, 290 (r)
Sanderling, see *Calidris alba*
Sandpiper
Baird's, see *Calidris bairdii*
Buff-breasted, see *Tryngites subruficollis*
Pectoral, see *Calidris melanotos*
Spotted, see *Actitis macularia*
Stilt, see *Calidris himantopus*
Upland, see *Bartramia longicauda*
Western, see *Calidris mauri*
White-rumped, see *Calidris fuscicollis*
Sapsucker
Red-naped, see *Sphyrapicus nuchalis*
Yellow-bellied, see *Sphyrapicus varius*
Saurothera longirostris, 58–70
Sayornis phoebe, 310–320
Scoter
Velvet, see *Melanitta fusca*
Scrub-bird
Noisy, see *Atrichornis clamosus*
Scrub-Jay
Western, see *Aphelocoma californica*
Seed-finch
Chestnut-bellied, see *Oryzoborus angolensis*
Seiurus aurocapillus, 58–70, 289–290 (r), 310–320, 404–413, 486, 488,600 (r)
S. noveboracensis, 404–413
Serin, see *Serinus serinus*
Serinus canaria, 127–128 (r), 595–596 (r)
S. serinus, 595–596 (r)
Setophaga ruticilla, 58–70, 257–262, 310–320, 404–413
Shag
Rock, see *Phalacrocorax magellanicus*
Shearwater
Cory's, see *Calonectris diomedea*
Greater, see *Puffinus gravis*
Shoveler
Northern, see *Anas clypeata*
Shrike-thrush
Gray, see *Colluricincla harmonica*
Sialia currucoides, 283 (r), 444–445 (r), 491–503
S. sialis, 97, 283 (r), 445 (r)
Siskin
Pine, see *Carduelis pinus*
Sitta canadensis, 486
S. europaea, 136 (r)
S. pusilla, 105, 310–320, 414–424
Skimmer
Black, see *Rhynchops niger*
Solitaire
Rufous-throated, see *Myadestes genibarbis*
Somateria spp., 284–285 (r)
S. mollissima, 207
Sora, see *Porzana carolina*
Sparrow
Bachman's, see *Aimophila aestivalis*
Chipping, see *Spizella passerina*
Eurasian Tree, see *Passer montanus*
Field, see *Spizella pusilla*
Fox, see *Passerella iliaca*
Harris', see *Zonotrichia querula*
Henslow's, see *Ammodramus henslowii*
House, see *Passer domesticus*
Nelson's Sharp-tailed, see *Ammodramus nelsoni*
Savannah, see *Passerculus sandwichensis*

Saltmarsh Sharp-tailed, see *Ammodramus caudacutus*
Song, see *Melospiza melodia*
Swamp, see *Melospiza georgiana*
White-crowned, see *Zonotrichia leucophrys*
White-throated, see *Zonotrichia albicollis*
Spindalis dominicensis, 58–70
Spizella passerina, 310–320, 414–424, 484, 497
S. pusilla, 414–424
Spoonbill
Roseate, see *Ajaia ajaja*
Sphyrapicus nuchalis, 491–503
S. varius, 310–320, 486
Starling
European, see *Sturnus vulgaris*
Stercorarius longicaudus, 35–38, 87
S. parasiticus, 33–41, 87
S. pomarinus, 33–41, 87
Stelgidopteryx serripennis, 89, 553
Sterna antillarum, 88, 135–136 (r), 457–458, 603 (r)
S. bengalensis, 341
S. bergii, 341
S. caspia, 88, 340
S. dougallii, 101–103, 455–464
S. eurygnatha, 337–342, 457–458
S. hirundo, 88, 441–442 (r), 452 (r), 455–464
S. maxima, 88, 337–342
S. nilotica, 122 (r)
S. paradisaea, 463
S. sandvicensis, 341
S. superciliaris, 457–458
Stipiturus malachurus, 447–448 (r)
Stork
Wood, see *Mycteria americana*
Storm-Petrel
British, see *Hydrobates pelagicus*
Strepera graculina, 138–139 (r), 351–364
Streptopelia decaocto, 88
S. risoria, 88
Streptoprocne zonaris, 89
Strix aluco, 126 (r)
S. occidentalis caurina, 603 (r)
Struthidea cinerea, 351–364
Sturnus vulgaris, 136–137 (r), 158, 283 (r), 577
Suiriri suiriri, 290 (r)
Sula dactylatra, 594 (r)
S. leucogaster, 82
S. nebouxii, 105, 594 (r)
S. sula, 81–82
Swallow
Bahama, see *Tachycineta cyaneoviridis*
Barn, see *Hirundo rustica*
Cave, see *Hirundo fulva*
Cliff, see *Hirundo pyrrhonota*
Northern Rough-winged, see *Stelgidopteryx serripennis*
Tree, see *Tachycineta bicolor*
Welcome, see *Hirundo neoxena*
White-winged, see *Tachycineta albiventer*
Swan, see *Cygnus*
Whooper, see *Cygnus cygnus*
Swift, see *Apus apus*
White-collared, see *Streptoprocne zonaris*
Sylvia atricapilla, 288–289 (r)
Synthliboramphus antiquus, 527
S. hypoleucus, 520–534
Tachycineta albiventer, 89
T. bicolor, 124 (r), 158, 286 (r), 444–445 (r), 496, 553
T. cyaneoviridis, 453 (r)
Tachyphonus rufus, 290 (r)
Taeniopygia guttata, 126 (r)
Tanager
Black-crowned Palm, see *Phaenicophilus palmarum*
Hispaniolan Stripe-headed, see *Spindalis dominicensis*
Scarlet, see *Piranga olivacea*
Summer, see *Piranga rubra*
White-banded, see *Neothraupis fasciata*
White-lined, see *Tachyphonus rufus*
Teal
Blue-winged, see *Anas discors*
Green-winged, see *Anas crecca carolinensis*
Tern
Arctic, see *Sterna paradisaea*
Black, see *Chlidonias niger*
Caspian, see *Sterna caspia*
Cayenne, see *Sterna eurygnatha*
Common, see *Sterna hirundo*
Crested, see *Sterna bergii*
Gull-billed, see *Sterna nilotica*
Least, see *Sterna antillarum*
Lesser Crested, see *Sterna bengalensis*
Roseate, see *Sterna dougalli*
Royal, see *Sterna maxima*
Sandwich, see *Sterna sandvicensis*
Yellow-billed, see *Sterna superciliaris*
Tetrao urogallus, 122 (r)
Tetrax tetrax, 175, 178
Thornbird
Rufous-fronted, see *Phacellodomas rufifrons*
Thrasher
Brown, see *Toxostoma rufum*
Thrush
Bicknell's, see *Catharus bicknelli*
Gray-cheeked, see *Catharus minimus*
Hermit, see *Catharus guttatus*
Red-legged, see *Turdus plumbeus*
Swainson's, see *Catharus ustulatus*

Wood, see *Hylocichla mustelina*
Thryothorus ludovicianus, 97–98, 310–320, 404–424
Tit
Bearded, see *Panurus biarmicus*
Coal, see *Parus ater*
Crested, see *Parus cristatus*
Great, see *Parus major, Poecile major*
Siberian, see *Parus cinctus*
Titmouse
Tufted, see *Baeolophus bicolor*
Todus angustirostris, 58–70
T. subulatus, 58–70
Tody
Broad-billed, see *Todus subulatus*
Narrow-billed, see *Todus angustirostris*
Towhee
Eastern, see *Pipilo erythrophthalmus*
Toxostoma rufum, 310–320, 404–424
Trembler
Brown, see *Cinclocerthia ruficauda*
Trogolodytes aedon, 90, 286–287 (r), 290 (r), 366, 445 (r), 495–496
T. troglodytes, 310–320, 486, 488
Tryngites subruficollis, 86
Turdus grayi, 128 (r)
T. migratorius, 121 (r), 310–320, 414–424, 485–486, 488
T. nudigenis, 90
T. plumbeus, 58–70
Turkey, see *Meleagris gallopavo*
Turnstone
Ruddy, see *Arenaria interpres*
Turtle-Dove
Ringed, see *Streptopelia risoria*
Tyrannus savana savana, 89
T. tyrannus, 310–320
Tympanuchus cupido, 441 (r), 602 (r)
Tyto alba, 133 (r), 285 (r)
Uria aalge, 28–32, 526–527
U. lomvia, 527
Vanellus vanellus, 84, 130 (r)
Veery, see *Catharus fuscesens*
Vermivora celata, 310–320, 491–503
V. pinus, 55–57, 91
V. peregrina, 289–290 (r), 404–413
Vireo atiloquus, 58–70, 91
V. flavifrons, 414–424
V. gilvus, 491–503
V. griseus, 310–320, 404–424
V. olivaceus, 91, 310–320, 414–424, 436–437 (r), 481–490
V. o. olivaceus, 91
V. solitarius, 310–320, 414–424
Vireo
Black-whiskered, see *Vireo atiloquus*
Blue-headed, see *Vireo solitarius*
Red-eyed, see *Vireo olivaceus*
Warbling, see *Vireo gilvus*
White-eyed, see *Vireo griseus*
Yellow-throated, see *Vireo flavifrons*
Vulture
Black, see *Coragyps atratus*
Turkey, see *Cathartes aura*
Warbler
Adelaide's, see *Dendroica adelaidae*
Bay-breasted, see *Dendroica castanea*
Black-and-White, see *Mniotilta varia*
Blackburnian, see *Dendroica fusca*
Black-throated Blue, see *Dendroica caerulescens*
Black-throated Green, see *Dendroica virens*
Blue-winged, see *Vermivora pinus*
Cape May, see *Dendroica tigrina*
Chestnut-sided, see *Dendroica pensylvanica*
Great Reed, see *Acrocephalus arundinaceus*
Hooded, see *Wilsonia citrina*
Kentucky, see *Oporonis formosus*
Magnolia, see *Dendroica magnolia*
Orange-crowned, see *Vermivora celata*
Pine, see *Dendroica pinus*
Prairie, see *Dendroica discolor*
Prothonotary, see *Protonotaria citrea*
Savi's, see *Locustella luscinioides*
Sedge, see *Acrocephalus schoenobaenus*
Swainson's, see *Limnothlypis swainsonii*
Tennessee, see *Vermivora peregrina*
Worm-eating, see *Helmitheros vermivorous*
Yellow, see *Dendroica petechia*
Yellow-rumped, see *Dendroica coronata*
Yellow-throated, see *Dendroica dominica*
Waterthrush
Northern, see *Seiurus noveboracensis*
Whistler
Rufous, see *Pacycephala rufiventris*
Whistling-Duck
West Indian, see *Dendrocygna arborea*
Wilsonia citrina, 58–70, 92, 131–132 (r), 310–320, 404–424, 588
Wigeon
American, see *Anas americana*
Woodcreeper
Narrow-billed, see *Lepidocolaptes angustirostris*
Woodpecker
Black, see *Dryocopus martius*
Downy, see *Picoides pubescens*
Hairy, see *Picoides villosus*
Hispaniolan, see *Melanerpes striatus*
Pileated, see *Dryocopus pileatus*
Red-bellied, see *Melanerpes carolinus*
Red-cockaded, see *Picoides borealis*
Red-headed, see *Melanerpes erythrocephalus*

Wood-Peewee
Eastern, see *Contopus virens*
Western, see *Contopus sordidulus*
Woodstar
Bahama, see *Calliphlox evelynae*
Wren
Cactus, see *Campylorhyncus brunneicapillus*
Carolina, see *Thryothorus ludovicianus*
House, see *Troglodytes aedon*
Winter, see *Troglodytes troglodytes*
Xanthomyza phrygia, 131 (r), 438–439 (r), 443–444 (r)
Yellowthroat
Bahama, see *Geothlypis rostrata*
Common, see *Geothlypis trichas*
Gray-crowned, see *Geothlypis poliocephalus*
Olive-crowned, see *Geothlypis semiflava*
Zenaida macroura, 414–424
Zonotrichia albicollis, 310–320, 404–413, 487, 593 (r)
Z. a. pugetensis, 593 (r)
Z. leucophrys, 497, 593 (r)
Z. querula, 568